

Optipress-Therm

Lieferprogramm mit z-Massen

Programme de livraison avec cotes-z

Programma tecnico con misure z




**55080**

Optipress-Therm-Rohr
Optipress-Therm-Tuyau
Optipress-Therm-Tubo

Stahl 1.0037 verzinkt / Acier 1.0037 galvanisé / Acciaio 1.0037 zincato


	d	L	S								Art.-Nr. Art. n°
15	15	6 m	1.2								55080.22
18	18	6 m	1.2								55080.23
22	22	6 m	1.5								55080.24
28	28	6 m	1.5								55080.25
35	35	6 m	1.5								55080.26
42	42	6 m	1.5								55080.27
54	54	6 m	1.5								55080.28
64	64	6 m	2.0								55080.32
76.1	76.1	6 m	2.0								55080.29
88.9	88.9	6 m	2.0								55080.30
108	108	6 m	2.0								55080.31

**55081**

Optipress-Therm-Rohr
Optipress-Therm-Tuyau
Optipress-Therm-Tubo

Stahl 1.0037, PP / Acier 1.0037, PP / Acciaio 1.0037, PP

	d	L	D	S						Art.-Nr. Art. n°
15	15	6 m	17	1.2						55081.22
18	18	6 m	20	1.2						55081.23
22	22	6 m	24	1.5						55081.24
28	28	6 m	30	1.5						55081.25
35	35	6 m	37	1.5						55081.26
42	42	6 m	44	1.5						55081.27
54	54	6 m	56	1.5						55081.28

**55083**

Optipress-Therm-Rohrbogen
Optipress-Therm-Tuyau cintré
Optipress-Therm-Curva-tubo

Stahl 1.0037 verzinkt / Acier 1.0037 galvanisé / Acciaio 1.0037 zincato


	d	L	L1	L2	L3	W				Art.-Nr. Art. n°
15 x 45°	15	80	137	39	96	45°				55083.42
18 x 45°	18	90	135	47	92	45°				55083.43
22 x 45°	22	100	132	53	85	45°				55083.44
28 x 45°	28	110	137	58	85	45°				55083.45
35 x 45°	35	130	168	71	109	45°				55083.46
42 x 45°	42	170	213	90	133	45°				55083.47
54 x 45°	54	220	254	125	159	45°				55083.48
15 x 90°	15	80	150	22	92	90°				55083.72
18 x 90°	18	90	150	26	86	90°				55083.73
22 x 90°	22	100	150	28	78	90°				55083.74
28 x 90°	28	110	160	26	76	90°				55083.75
35 x 90°	35	130	200	30	100	90°				55083.76
42 x 90°	42	170	250	41	121	90°				55083.77
54 x 90°	54	220	300	62	142	90°				55083.78



55084 NEW Optipress-Therm-Rohrstücke Optipress-Therm-Segment de tuyau Optipress-Therm pezzi-tubo

Stahl 1.0037 verzinkt / Acier 1.0037 galvanisé / Acciaio 1.0037 zincato


	d	L	S								Art.-Nr. Art. n°
15	15	49	1.2								55084.22
18	18	49	1.2								55084.23
22	22	53	1.5								55084.24
28	28	58	1.5								55084.25
35	35	62	1.5								55084.26
42	42	87	1.5								55084.27
54	54	105	1.5								55084.28
64	64	101	2.0								55084.32
76.1	76.1	115	2.0								55084.29
88.9	88.9	115	2.0								55084.30
108	108	135	2.0								55084.31

**55086**

Optipress-Therm-Überbogen
Optipress-Therm-Dos d'âne
Optipress-Therm-Cavallotto

Stahl 1.0037 verzinkt / Acier 1.0037 galvanisé / Acciaio 1.0037 zincato


	d	L	L1	H						Art.-Nr. Art. n°
15	15	267	35	37						55086.22
18	18	260	34	39						55086.23
22	22	276	27	46						55086.24
28	28	332	42	52						55086.25

**55087**

Optipress-Therm-Überspringbogen
Optipress-Therm-Coude d'évitement
Optipress-Therm-Cavalcavia

Stahl 1.0037 verzinkt / Acier 1.0037 galvanisé / Acciaio 1.0037 zincato


	d	z	L	L1	L2	H				Art.-Nr. Art. n°
15	15	22	163	10	59	37				55087.22
18	18	21	175	17	60	39				55087.23
22	22	29	210	27	71	46				55087.24
28	28	33	247	42	81	52				55087.25

**55000**

Optipress-Therm-Bogen 90°
Optipress-Therm-Coude à 90°
Optipress-Therm-Curva a 90°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	z	L								Art.-Nr. Art. n°
15	15	18	40								55000.22
18	18	22	44								55000.23
22	22	26	49								55000.24
28	28	34	58								55000.25
35	35	42	69								55000.26
42	42	50	87								55000.27
54	54	64	105								55000.28
64	64	84	127								55000.70
76.1	76.1	99	149								55000.71
88.9	88.9	115	165								55000.72
108	108	138	198								55000.73

**55001**

Optipress-Therm-Bogen 90°
Optipress-Therm-Coude à 90°
Optipress-Therm-Curva a 90°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	z	L	L1						Art.-Nr. Art. n°
15	15	18	40	42						55001.22
18	18	22	44	46						55001.23
22	22	26	49	51						55001.24
28	28	34	58	60						55001.25
35	35	42	69	70						55001.26
42	42	50	87	89						55001.27
54	54	64	105	107						55001.28
64	64	84	127	126						55001.70
76.1	76.1	99	147	149						55001.71
88.9	88.9	115	165	162						55001.72
108	108	138	198	195						55001.73

**55003**

Optipress-Therm-Bogen 45°
Optipress-Therm-Coude à 45°
Optipress-Therm-Curva a 45°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	d	z	L							Art.-Nr. Art. n°
15	15	13	35							55003.22
18	18	18	40							55003.23
22	22	22	45							55003.24
28	28	14	38							55003.25
35	35	17	44							55003.26
42	42	21	57							55003.27
54	54	27	67							55003.28
64	64	39	82							55003.70
76.1	76.1	46	96							55003.71
88.9	88.9	52	102							55003.72
108	108	62	122							55003.73

**55004**

Optipress-Therm-Bogen 45°
Optipress-Therm-Coude à 45°
Optipress-Therm-Curva a 45°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	z	L	L1						Art.-Nr. Art. n°
15	15	13	35	40						55004.22
18	18	15	37	48						55004.23
22	22	17	40	58						55004.24
28	28	14	38	40						55004.25
35	35	17	44	46						55004.26
42	42	21	57	59						55004.27
54	54	27	71	71						55004.28
64	64	39	82	82						55004.70
76.1	76.1	46	96	93						55004.71
88.9	88.9	52	102	99						55004.72
108	108	61	121	119						55004.73

**55005**

Optipress-Therm-Bogen 90°
Optipress-Therm-Coude à 90°
Optipress-Therm-Curva a 90°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	R	d	z	L	L1	S				Art.-Nr. Art. n°
15 x 3/8	3/8	15	26	48	45	19				55005.22
15 x 1/2	1/2	15	26	48	45	22				55005.23
18 x 1/2	1/2	18	30	52	50	22				55005.24
22 x 3/4	3/4	22	37	60	61	27				55005.25
28 x 1	1	28	48	72	77	36				55005.26
35 x 1 1/4	1 1/4	35	60	86	91	46				55005.27
42 x 1 1/2	1 1/2	42	71	107	102	50				55005.28
54 x 2	2	54	92	132	123	63				55005.29

**55006**

Optipress-Therm-Bogen 90°
Optipress-Therm-Coude à 90°
Optipress-Therm-Curva a 90°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	d	z	z1	L	L1	S			Art.-Nr. Art. n°
15 x ½	½	15	26	31	48	41	22			55006.23
18 x ½	½	18	30	36	52	46	26			55006.24
22 x ¾	¾	22	37	44	60	55	30			55006.25
28 x 1	1	28	48	55	72	72	38			55006.26

**55007**

Optipress-Therm-Winkel 90°
Optipress-Therm-Equerre 90°
Optipress-Therm-Gomito 90°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	d	z	L	L1						Art.-Nr. Art. n°
15 x 3/8	3/8	15	16	38	24						55007.22
15 x 1/2	1/2	15	17	39	28						55007.23
18 x 1/2	1/2	18	17	39	28						55007.24
22 x 3/4	3/4	22	20	43	33						55007.25

**55008**

Optipress-Therm-Winkel 90°
Optipress-Therm-Equerre 90°
Optipress-Therm-Gomito 90°

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	d	z	z1	L	L1				Art.-Nr. Art. n°
15 x ½	½	15	20	10	42	25				55008.23
22 x ½	½	22	20	13	61	28				55008.24
22 x ¾	¾	22	23	13	46	30				55008.25
28 x ½	½	28	20	16	44	31				55008.26
28 x ¾	¾	28	23	16	47	33				55008.27
28 x 1	1	28	25	17	49	36				55008.28


55010
Optipress-Therm-T-Stück
Optipress-Therm-Té
Optipress-Therm-Ti

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	d1	d2	d3	z1	z2	z3	L1	L2	L3	Art.-Nr. Art. n°
15	15	15	15	19	21	19	41	43	41	55010.22
18	18	18	18	21	22	21	43	44	43	55010.23
22	22	22	22	24	26	24	47	49	47	55010.24
28	28	28	28	28	29	28	42	43	42	55010.25
35	35	35	35	26	26	26	52	53	52	55010.26
42	42	42	42	32	32	32	68	68	68	55010.27
54	54	54	54	39	39	39	79	79	79	55010.28
64	64	64	64	46	47	46	89	90	89	55010.60
76.1	76.1	76.1	76.1	51	53	51	101	103	101	55010.61
88.9	88.9	88.9	88.9	57	59	57	107	109	107	55010.62
108	108	108	108	67	69	67	127	129	127	55010.63
15 x 18 x 15	15	18	15	21	17	21	43	39	43	55010.30
15 x 22 x 15	15	22	15	21	21	21	43	44	43	55010.32
18 x 15 x 18	18	15	18	21	23	21	43	45	43	55010.33
18 x 22 x 18	18	22	18	24	21	24	46	44	46	55010.34


Weitere Größen auf der folgenden Seite / Autres grandeurs voir page suivante / Altri diametri vedi pagina consecutiva



	d1	d2	d3	z1	z2	z3	L1	L2	L3	Art.-Nr. Art. n°
22 x 15 x 15	22	15	15	22	25	18	45	47	40	55010.40
22 x 15 x 22	22	15	22	22	25	22	45	47	45	55010.36
22 x 18 x 18	22	18	18	22	25	22	45	47	44	55010.53
22 x 18 x 22	22	18	22	22	25	22	45	47	45	55010.37
22 x 22 x 15	22	22	15	24	27	24	47	50	46	55010.42
22 x 28 x 22	22	28	22	24	23	24	47	47	47	55010.35
28 x 15 x 28	28	15	28	21	28	21	45	50	45	55010.39
28 x 18 x 28	28	18	28	21	29	21	45	51	45	55010.55
28 x 22 x 22	28	22	22	23	31	23	47	54	46	55010.46
28 x 22 x 28	28	22	28	23	31	23	47	54	47	55010.41
35 x 15 x 35	35	15	35	19	33	19	45	55	45	55010.65
35 x 18 x 35	35	18	35	19	33	19	45	57	45	55010.66
35 x 22 x 35	35	22	35	21	34	21	49	59	49	55010.43
35 x 28 x 35	35	28	35	26	33	26	53	61	53	55010.45
42 x 15 x 42	42	15	42	19	36	19	55	58	55	55010.49
42 x 22 x 42	42	22	42	19	38	19	55	61	55	55010.73
42 x 28 x 42	42	28	42	25	37	25	61	61	61	55010.47
42 x 35 x 42	42	35	42	25	37	25	61	64	61	55010.48
54 x 15 x 54	54	15	54	18	43	18	58	65	58	55010.79

Weitere Grössen auf der folgenden Seite / Autres grandeurs voir page suivante / Altri diametri vedi pagina consecutiva


	d1	d2	d3	z1	z2	z3	L1	L2	L3	Art.-Nr. Art. n°
54 x 22 x 54	54	22	54	18	44	18	58	67	58	55010.70
54 x 28 x 54	54	28	54	21	43	21	61	67	61	55010.71
54 x 35 x 54	54	35	54	25	43	25	65	70	65	55010.72
54 x 42 x 54	54	42	54	29	38	29	69	74	69	55010.50
64 x 28 x 64	64	28	64	27	40	27	70	64	70	55010.75
64 x 35 x 64	64	35	64	32	43	32	75	69	75	55010.76
64 x 42 x 64	64	42	64	35	44	35	78	80	78	55010.77
64 x 54 x 64	64	54	64	41	44	41	84	84	84	55010.78
76.1 x 28 x 76.1	76.1	28	76.1	27	46	27	77	70	77	55010.80
76.1 x 35 x 76.1	76.1	35	76.1	30	47	30	80	73	80	55010.81
76.1 x 42 x 76.1	76.1	42	76.1	34	49	34	84	85	84	55010.82
76.1 x 54 x 76.1	76.1	54	76.1	40	50	40	90	90	90	55010.83
76.1 x 64 x 76.1	76.1	64	76.1	51	53	51	101	96	101	55010.84
88.9 x 28 x 88.9	88.9	28	88.9	27	53	27	77	77	77	55010.86
88.9 x 35 x 88.9	88.9	35	88.9	30	54	30	80	80	80	55010.87
88.9 x 42 x 88.9	88.9	42	88.9	34	56	34	84	92	84	55010.88
88.9 x 54 x 88.9	88.9	54	88.9	40	57	40	90	97	90	55010.89
88.9 x 64 x 88.9	88.9	64	88.9	51	60	51	101	103	101	55010.90
88.9 x 76.1 x 88.9	88.9	76.1	88.9	51	59	51	101	109	101	55010.91
108 x 28 x 108	108	28	108	27	62	27	87	86	87	55010.93
108 x 35 x 108	108	35	108	30	63	30	90	89	90	55010.94
108 x 42 x 108	108	42	108	34	65	34	94	101	94	55010.95
108 x 54 x 108	108	54	108	40	66	40	100	106	100	55010.96
108 x 64x 108	108	64	108	51	69	51	111	112	111	55010.97
108 x 76.1x 108	108	76.1	108	51	69	51	111	119	111	55010.98
108 x 88.9 x 108	108	88.9	108	57	58	57	117	119	117	55010.99

**55013**

Optipress-Therm-T-Stück
Optipress-Therm-Té
Optipress-Therm-Ti

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	d	z1	z2	L1	L2				Art.-Nr. Art. n°
15 x ½ x 15	½	15	19	24	41	35				55013.22
18 x ½ x 18	½	18	21	26	43	37				55013.23
22 x ½ x 22	½	22	22	19	45	32				55013.25
22 x ¾ x 22	¾	22	24	21	47	34				55013.26
28 x ½ x 28	½	28	21	22	45	36				55013.27
28 x ¾ x 28	¾	28	23	21	45	36				55013.28
35 x ½ x 35	½	35	19	25	45	40				55013.29
35 x ¾ x 35	¾	35	19	24	45	40				55013.32
42 x ½ x 42	½	42	19	28	55	43				55013.30
42 x ¾ x 42	¾	42	19	27	55	43				55013.33
54 x ½ x 54	½	54	18	34	58	49				55013.31
54 x ¾ x 54	¾	54	18	33	58	49				55013.34
64 x ¾ x 64	¾	64	27	45	70	57				55013.70
76.1 x ¾ x 76.1	¾	76.1	22	50	72	65				55013.72
88.9 x ¾ x 88.9	¾	88.9	22	56	72	71				55013.74
108 x ¾ x 108	¾	108	22	76	82	81				55013.76

**55019**

Optipress-Therm-Kreuzstück
Optipress-Therm-Croix
Optipress-Therm-Croce

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	d1	z	z1	L	L1	H			Art.-Nr. Art. n°
18 x 15	18	15	21	19	43	41	19			55019.22
22 x 15	22	15	22	19	45	41	21			55019.23
28 x 15	28	15	21	19	45	41	25			55019.24

**55020**

Optipress-Therm-Muffe
Optipress-Therm-Manchon
Optipress-Therm-Manicotto

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	d	z	L							Art.-Nr. Art. n°
15	15	13	57							55020.22
18	18	13	57							55020.23
22	22	13	59							55020.24
28	28	12	60							55020.25
35	35	13	65							55020.26
42	42	12	84							55020.27
54	54	12	92							55020.28
64	64	24	110							55020.70
76.1	76.1	25	125							55020.71
88.9	88.9	25	125							55020.72
108	108	25	145							55020.73


**55021**

Optipress-Therm-Reduktion
Optipress-Therm-Réduction
Optipress-Therm-Riduzione


Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	d	d1	z	L							Art.-Nr. Art. n°
18 x 15	18	15	36	58							55021.24
22 x 15	22	15	41	63							55021.26
22 x 18	22	18	38	60							55021.27
28 x 15	28	15	48	70							55021.29
28 x 18	28	18	43	65							55021.30
28 x 22	28	22	41	64							55021.31
35 x 15	35	15	58	80							55021.32
35 x 22	35	22	49	72							55021.33
35 x 28	35	28	48	72							55021.34
42 x 22	42	22	68	91							55021.36
42 x 28	42	28	66	90							55021.37
42 x 35	42	35	56	82							55021.38
54 x 22	54	22	86	109							55021.39
54 x 28	54	28	79	103							55021.40
54 x 35	54	35	72	98							55021.42
54 x 42	54	42	65	101							55021.41
64 x 54	64	54	61	101							55021.71
76.1 x 54	76.1	54	84	124							55021.72

Weitere Größen auf der folgenden Seite / Autres grandeurs voir page suivante / Altri diametri vedi pagina consecutiva



	d	d1	z	L						Art.-Nr. Art. n°
76.1 x 64	76.1	64	83	126						55021.73
88.9 x 54	88.9	54	89	132						55021.74
88.9 x 64	88.9	64	89	132						55021.75
88.9 x 76.1	88.9	76.1	82	132						55021.76
108 x 54	108	54	110	150						55021.77
108 x 64	108	64	109	152						55021.78
108 x 76.1	108	76.1	102	152						55021.79
108 x 88.9	108	88.9	95	145						55021.80



55022


Optipress-Therm-Schiebemuffe Optipress-Therm-Manchon transformation Optipress-Therm-Manicotto passante

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	d	L	L1							Art.-Nr. Art. n°
15	15	80	22							55022.22
18	18	80	22							55022.23

Weitere Größen auf der folgenden Seite / Autres grandeurs voir page suivante / Altri diametri vedi pagina consecutiva


	d	L	L1							Art.-Nr. Art. n°
22	22	80	23							55022.24
28	28	95	24							55022.25
35	35	105	26							55022.26
42	42	120	36							55022.27
54	54	135	40							55022.28
64	64	110	43							55022.70
76.1	76.1	125	50							55022.71
88.9	88.9	125	50							55022.72
108	108	145	60							55022.73

**55025**

Optipress-Therm-Verschlusskappe
Optipress-Therm-Cape de fermeture
Optipress-Therm-Cappa di chiusura

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	L								Art.-Nr. Art. n°
15	15	26								55025.22
18	18	26								55025.23
22	22	27								55025.24
28	28	28								55025.25
35	35	31								55025.26
42	42	41								55025.27
54	54	44								55025.28

**55026**

Optipress-Therm-Verschlusskappe
Optipress-Therm-Cape de fermeture
Optipress-Therm-Cappa di chiusura

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	Rp	d	L							Art.-Nr. Art. n°
64	¾	64	99							55026.70
76.1	¾	76.1	105							55026.71
88.9	¾	88.9	105							55026.72
108	¾	108	115							55026.73

**55027**

Optipress-Therm-Verschlussstopfen
Optipress-Therm-Bouchon de fermeture
Optipress-Therm-Tappo di chiusura

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	d	L								Art.-Nr. Art. n°
15	15	55								55027.22
18	18	55								55027.23
22	22	57								55027.24
28	28	59								55027.25

Weitere Größen auf der folgenden Seite / Autres grandeurs voir page suivante / Altri diametri vedi pagina consecutiva


	d	L							Art.-Nr. Art. n°
35	35	64							55027.26
42	42	84							55027.27
54	54	92							55027.28
64	64	123							55027.70
76.1	76.1	137							55027.71
88.9	88.9	137							55027.72
108	108	157							55027.73



55023^{NEW} Optipress-Therm-Längenkompensator Optipress-Therm-Compensateur axial Optipress-Therm-Compensatore

Stahl verzinkt / Acier galvanisé / Acciaio zincato


	d	z	L	DA	F max.				Art.-Nr. Art. n°
15	15	256	300	-25	700 N				55023.22
18	18	261	305	-25	900 N				55023.23
22	22	267	315	-25	1300 N				55023.24
28	28	297	345	-28	1900 N				55023.25
35	35	348	400	-28	2900 N				55023.26
42	42	368	440	-29	4300 N				55023.27
54	54	418	498	-38	6400 N				55023.28

**55033**

Optipress-Therm-Übergang
Optipress-Therm-Manchon
Optipress-Therm-Collegamento

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	d	z	L	S						Art.-Nr. Art. n°
15 x 3/8	3/8	15	5	37	22						55033.21
15 x 1/2	1/2	15	6	41	24						55033.22
15 x 3/4	3/4	15	8	45	30						55033.27
18 x 1/2	1/2	18	6	41	27						55033.23
18 x 3/4	3/4	18	7	44	34						55033.24
22 x 1/2	1/2	22	4	41	32						55033.28
22 x 3/4	3/4	22	6	45	34						55033.25
22 x 1	1	22	7	48	36						55033.29
28 x 3/4	3/4	28	3	44	38						55033.31
28 x 1	1	28	7	48	38						55033.26
35 x 3/4	3/4	35	2	43	46						55033.32
35 x 1 1/4	1 1/4	35	7	52	50						55033.33
42 x 1 1/2	1 1/2	42	8	63	55						55033.34
54 x 2	2	54	8	72	70						55033.35
64 x 2	2	64	22	89	65						55033.70
64 x 2 1/2	2 1/2	64	28	98	82						55033.71
76.1 x 2 1/2	2 1/2	76.1	27	104	82						55033.72

**55034**

Optipress-Therm-Übergang
Optipress-Therm-Manchon
Optipress-Therm-Collegamento

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	d	z	L	S					Art.-Nr. Art. n°
15 x ½	½	15	34	47	27					55034.22
18 x ½	½	18	33	46	27					55034.23
18 x ¾	¾	18	36	51	32					55034.24
22 x ½	½	22	33	46	27					55034.25
22 x ¾	¾	22	35	50	32					55034.26

**55035**

Optipress-Therm-Übergang
Optipress-Therm-Manchon
Optipress-Therm-Collegamento

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	d	z	L	S					Art.-Nr. Art. n°
15 x 3/8	3/8	15	20	42	24					55035.21
15 x 1/2	1/2	15	24	46	24					55035.22
15 x 3/4	3/4	15	27	49	27					55035.30
18 x 1/2	1/2	18	24	46	27					55035.23
18 x 3/4	3/4	18	27	49	27					55035.24
22 x 1/2	1/2	22	25	48	32					55035.31
22 x 3/4	3/4	22	26	49	32					55035.25
28 x 3/4	3/4	28	28	52	38					55035.32
28 x 1	1	28	30	54	38					55035.26
28 x 1 1/4	1 1/4	28	38	62	46					55035.33
35 x 1 1/4	1 1/4	35	36	62	46					55035.27
35 x 1 1/2	1 1/2	35	39	65	50					55035.34
42 x 1 1/2	1 1/2	42	36	72	55					55035.28
54 x 2	2	54	42	82	70					55035.29
64 x 2	2	64	54	97	65					55035.69
64 x 2 1/2	2 1/2	64	66	109	80					55035.70
76.1 x 2 1/2	2 1/2	76.1	65	115	80					55035.71

**55036**

Optipress-Therm-Übergang
Optipress-Therm-Manchon
Optipress-Therm-Collegamento

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	R	d	L	S						Art.-Nr. Art. n°
15 x ½	½	15	51	22						55036.23
18 x ½	½	18	50	22						55036.24
22 x ¾	¾	22	54	30						55036.27
28 x 1	1	28	59	36						55036.28

**55038**

Optipress-Therm-Anschweisrohr
Optipress-Therm-Tuyau à souder
Optipress-Therm-Tubo saldato

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	d1	L	S						Art.-Nr. Art. n°
15 x 17.2	15	17.2	120	1.2						55038.22
18 x 21.3	18	21.3	120	1.2						55038.23
22 x 26.9	22	26.9	120	1.5						55038.24
28 x 33.7	28	33.7	120	1.5						55038.25

**55041**

Optipress-Therm-Verschraubung
Optipress-Therm-Vis de rappel
Optipress-Therm-Raccordo

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	G	d	z	L	S	S1				Art.-Nr. Art. n°
15	¾	15	33	77	30	30				55041.22
18	¾	18	35	79	30	30				55041.23
22	1	22	38	84	36	37				55041.24
28	1¼	28	43	91	46	46				55041.25
35	1½	35	43	95	50	53				55041.26
42	1¾	42	43	115	55	60				55041.27
54	2¾	54	53	133	70	78				55041.28

**55044**

Optipress-Therm-Verschraubung
Optipress-Therm-Vis de rappel
Optipress-Therm-Raccordo

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	Rp	G	d	z	L	S	S1			Art.-Nr. Art. n°
15 x ½	½	¾	15	27	64	30	27			55044.22
18 x ½	½	¾	18	28	65	30	27			55044.23
22 x ¾	¾	1	22	37	76	30	32			55044.25
22 x 1	1	1¼	22	35	77	37	41			55044.30
28 x 1	1	1¼	28	45	88	37	41			55044.26
35 x 1¼	1¼	1½	35	30	78	53	50			55044.27
42 x 1½	1½	1¾	42	34	91	59	55			55044.28
54 x 2	2	2¾	54	21	87	78	70			55044.29

**55046**

Optipress-Verschraubung
Optipress-Vis de rappel
Optipress-Raccordo

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

	R	G	d	z	L	S	S1			Art.-Nr. Art. n°
15 x ½	½	¾	15	45	67	30	27			55046.22
22 x ¾	¾	¾	22	54	77	30	27			55046.25
22 x 1	1	1¼	22	53	76	37	34			55046.30
28 x 1	1	1¼	28	63	87	37	34			55046.26
35 x 1¼	1¼	1½	35	58	83	53	50			55046.27
42 x 1½	1½	1¾	42	59	95	60	55			55046.28
54 x 2	2	2¾	54	69	109	78	72			55046.29


**55048**

Optipress-Therm-Verschraubung
Optipress-Therm-Raccord
Optipress-Therm-Raccordo

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato

NEW


	G	d	z	L	L1	S				Art.-Nr. Art. n°
15 x ¾	¾	15	10	32	11	30				55048.23
15 x 1	1	15	9	31	10	36				55048.24
18 x 1	1	18	9	31	10	36				55048.25
22 x ¾	¾	22	18	39	9	30				55048.38
22 x 1	1	22	12	35	9	37				55048.26
22 x 1¼	1¼	22	11	34	13	50				55048.31
22 x 1½	1½	22	12	35	14	52				55048.32
28 x 1	1	28	22	46	11	37				55048.37
28 x 1¼	1¼	28	14	38	11	46				55048.27
28 x 1½	1½	28	12	36	13	46				55048.33
35 x 1½	1½	35	11	37	13	53				55048.28
35 x 2	2	35	12	38	14	65				55048.34
42 x 1¾	1¾	42	10	46	13	60				55048.29
42 x 2	2	42	18	54	16	66				55048.35
54 x 2¾	2¾	54	13	53	15	78				55048.30
54 x 2½	2½	54	15	55	18	84				55048.36

**55049**

Optipress-Therm-Flanschübergang PN 10/16
Optipress-Therm-Bride PN 10/16
Optipress-Therm-Flangia PN 10/16

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	z	H	H1	D	D1	N	K	Art.-Nr. Art. n°
35 x DN 32	35	64	90	18	140	14	4	100	55049.26
42 x DN 40	42	57	93	18	150	18	4	110	55049.27
54 x DN 50	54	57	97	18	165	18	4	125	55049.28
64 x DN 65	64	30	75	18	185	18	8	145	55049.70
76.1 x DN 65	76.1	30	80	18	185	18	8	145	55049.71
88.9 x DN 80	88.9	32	82	20	200	18	8	160	55049.72
108 x DN 100	108	32	92	20	220	18	8	180	55049.73

**55050**

Optipress-Therm-Flanschübergang PN 6
Optipress-Therm-Bride PN 6
Optipress-Therm-Flangia PN 6

Stahl 1.0308 verzinkt / Acier 1.0308 galvanisé / Acciaio 1.0308 zincato


	d	z	H	H1	D	D1	N	K		Art.-Nr. Art. n°
35 x DN 32	35	60	86	14	120	14	4	90		55050.26
42 x DN 40	42	53	89	14	130	14	4	100		55050.27
54 x DN 50	54	53	93	14	140	14	4	110		55050.28
64 x DN 50	64	29	72	16	140	14	4	110		55050.70
64 x DN 65	64	29	72	16	160	14	4	130		55050.71
76.1 x DN 65	76.1	28	78	16	160	14	4	130		55050.72
88.9 x DN 80	88.9	30	80	18	190	18	4	150		55050.73
108 x DN 100	108	30	90	18	210	18	4	170		55050.74

**82020**

Optipress-Durchgangs-Kugelhahn
Optipress-Robinet d'arrêt à bille
Optipress-Rubinetto a sfera

Rotguss / Bronze / Bronzo

	d	z	z1	L	L1	H				Art.-Nr. Art. n°
15	15	20	26	90	98	65				82020.22
18	18	20	26	90	98	65				82020.23
22	22	20	29	97	98	67				82020.24
28	28	26	35	109	113	71				82020.25
35	35	30	37	119	113	82				82020.26
42	42	33	34	139	119	85				82020.27
54	54	43	50	172	119	93				82020.28



82022^{NEW} Optipress-Durchgangs-Kugelhahn Optipress-Robinet d'arrêt à bille Optipress-Rubinetto a sfera

Rotguss / Bronze / Bronzo

	d	z	z1	L	L1	H				Art.-Nr. Art. n°
15	15	20	26	90	98	73				82022.22
18	18	20	26	90	98	73				82022.23
22	22	20	29	97	98	75				82022.24
28	28	26	35	109	113	89				82022.25
35	35	30	37	119	113	100				82022.26
42	42	33	34	139	119	125				82022.27
54	54	43	50	172	119	133				82022.28